

interscience



# JumboMix® 3500

Lab blender

# Blend up to 3500 mL !

- **Powerful** : 400g sample capacity
- **Heavy-duty** : lifetime guarantee on shock absorbers



## JumboMix® 3500 VP

### *The essential*

- Variable blending speed (1.5 - 6 strokes/sec.)
- Variable blending time (1sec. - 1h or open running)
- Adjustable blending power
- Drip tray (option)

Ref : 031 230



## JumboMix® 3500 VW

### *High accuracy*

- Window door
- Variable blending speed (1.5 - 6 strokes/sec.)
- Variable blending time (1sec. - 1h or open running)
- Adjustable blending power
- Drip tray

Ref : 032 230



## JumboMix® 3500 WarmMix®

### *Special Trichinella*

- Regulated heated door (From 20°C to 50°C)
- Ideal for Trichinella testing in pork analysis
- Variable blending speed (1,5 - 6 strokes/sec.)
- Variable blending time (1sec. - 1 h. or open running)
- Adjustable blending power
- Drip tray


Ref : 033 230




## 1 Adjustable blending strength **PATENTED**

**Adjustable paddles** : adapt the blending strength to the size and nature of your sample...

Move the paddles backwards or forwards depending on the sample.




... and obtain **OPTIMAL EXTRACTION** :




## 2 Side-by-side paddle stop **PATENTED**

For easy insertion of the sample in the blender.




## 3 Q-Tight® system



## 4 Easy cleaning

Fully opening door (270°) for easy cleaning of the blending chamber.



## Applications

- Food microbiology
- Sterility tests of disposable products
- Ideal for E-Coli O157H7
- Trichinella testing of pork
- Microbiological or chemical residue detection in fibrous products
- Industrial mixing (powder, polymer ...)
- Evaluation of risks in drinking water by analysis of microscopic particulate analysis
- Blending of bulky water filters (Cryptosporidium and Giardia parasites extraction)

## Specifications

- Max. solid sample weight: 400 g
- Useful capacity: 200 - 3500 ml
- Strokes : 1.5 - 6 strokes/sec.
- Adjustable blending time : 1 sec. to 1h countdown & open running ( $\infty$ )
- Adjustable blending speed controlled by microprocessor
- Side-by-side paddle stop
- Q-Tight® system
- All stainless steel
- Drip tray
- Adjustable paddles
- Multifunction digital screen
- Unbreakable window door
- 3 year guarantee (under conditions)
- Lifetime guarantee on window door & shock absorbers
- Pwr. : 220 / 100 - 110 V – 50 / 60 Hz
- Dim. (l x w x h) : 52 x 47 x 47 cm
- Weight : 57 Kg

ISO 9001 - 2000  
WEEE & RoHs compliant



Please return this form to  
interscience or to your local  
dealer and indicate your interest.

### JumboMix® 3500 ml blender

- Quotation  
 Demonstration

I would like more information on :

- BagMixer® 400 ml blender  
 MiniMix® 100 ml blender  
 BagFilter® filter bag  
 BagTools® accessories  
 Gravimat® dilutor  
 easySpiral® automatic plater  
 Scan® 500 & 1200 colony counters

Name.....

Company.....

Address.....

Zip/City..... Country.....

Phone..... Fax.....

email.....

web.....



MANEKO, spol. s r. o.  
Na pískách 71  
16000 Praha 6  
www.maneko.cz  
maneko@maneko.cz  
tel: 23333 5638  
23333 5639, 23333 6645,  
fax: 23333 2656

[www.interscience.fr](http://www.interscience.fr)

Worldwide: 30. Ch Bois Arpents, 78860 St Nom FRANCE  
Tel. +33(0)1 34 62 62 61 / Fax. +33(0)1 34 62 43 03  
info@interscience.fr / www.interscience.fr

USA/Canada: 199 Weymouth St. ROCKLAND, MA 02370 USA  
Tel. +1 781 792 2133 Fax. +1 781 792 2134  
info@intersciencelab.com www.intersciencelab.com

## For the best results...



### Gravimat®

#### Gravimetric dilutor

Dilutes automatically with the  
necessary mass of solvent.

Ref : 510 230



### BagFilter® 3500

#### Sterile lateral filter bag

Food comatible. Ideal for  
pipeting without residue.

Ref : 113 510



### BagPage® 3500

#### Sterile full page filter bag

Multilayer®. Robust & food  
compatible. Instant filtration.

Ref : 123 010



### BagLight® 3500

#### Sterile plain bag

PolySilk®, extremely robust.  
For sample that do not  
require filtration.

Ref : 133 025



### BagOpen® 3500

#### Bag opener

Easy bag opening.  
Extremely stable and robust.

Ref : 211 350



### BagRack® 3500

#### Storage rack

Clean and methodical storage  
of your bags.

Ref : 221 350



### BagClip® 3500

#### Closing clips

Closes every type of bag.  
Watertight.

Ref : 231 350